

# SP パネルボード

## 樹脂パネル ●価格改定

### ペット (PET) 価格表 (税抜単価 (¥))

#### SFY-PE3T ペット (PET) 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=3	10~100	530	-	-	-	-	-	-	-	-	-
	101~200	550	610	-	-	-	-	-	-	-	-
	201~300	590	660	740	-	-	-	-	-	-	-
	301~400	610	710	820	960	-	-	-	-	-	-
	401~500	630	770	900	1,080	1,210	-	-	-	-	-
	501~600	680	850	1,030	1,190	1,370	1,630	-	-	-	-
	601~700	700	910	1,120	1,300	1,510	1,820	2,030	-	-	-
	701~800	730	960	1,190	1,420	1,650	2,000	2,260	2,510	-	-
	801~900	760	1,030	1,280	1,540	1,810	2,180	2,470	2,750	3,030	-
	901~1000	790	1,080	1,370	1,650	1,940	2,380	2,690	3,010	3,320	3,630
	1001~1100	850	1,190	1,530	1,870	2,230	2,720	3,100	3,470	3,830	4,210
	1101~1200	870	1,250	1,630	2,000	2,380	2,930	3,330	3,730	4,140	4,540
	1201~1300	910	1,310	1,720	2,130	2,530	3,130	3,560	4,000	4,440	4,880
	1301~1400	940	1,380	1,820	2,260	2,690	3,330	3,810	4,270	4,750	5,210
	1401~1500	970	1,450	1,910	2,380	2,850	3,540	4,040	4,540	5,040	5,550
	1501~1600	1,010	1,500	2,000	2,510	3,010	3,730	4,270	4,810	5,350	5,880
	1601~1700	1,040	1,570	2,090	2,620	3,160	3,930	4,500	5,090	5,680	5,880
	1701~1800	1,060	1,630	2,180	2,750	3,320	4,140	4,750	5,380	5,880	5,880
	1801~1900	1,090	1,690	2,280	2,880	3,470	4,340	4,980	5,680	5,880	5,880
	1901~2000	1,140	1,750	2,380	3,010	3,630	4,540	5,210	5,880	5,880	5,880

※切断料は含まれております。(1mm単位)

#### SFY-PE3N ペット (PET) ブラウンスモーク 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=3	10~100	500	-	-	-	-	-	-	-	-	-
	101~200	530	600	-	-	-	-	-	-	-	-
	201~300	570	650	750	-	-	-	-	-	-	-
	301~400	600	720	850	1,020	-	-	-	-	-	-
	401~500	630	790	940	1,150	1,320	-	-	-	-	-
	501~600	680	870	1,080	1,290	1,490	1,800	-	-	-	-
	601~700	710	950	1,180	1,420	1,650	2,020	2,280	-	-	-
	701~800	740	1,020	1,290	1,560	1,830	2,240	2,530	2,830	-	-
	801~900	770	1,080	1,390	1,700	2,000	2,460	2,790	3,120	3,460	-
	901~1000	810	1,150	1,490	1,830	2,170	2,680	3,040	3,410	3,790	4,160
	1001~1100	870	1,280	1,690	2,080	2,500	3,100	3,520	3,950	4,390	4,830
	1101~1200	920	1,350	1,800	2,240	2,680	3,330	3,800	4,270	4,750	5,230
	1201~1300	950	1,430	1,910	2,390	2,860	3,570	4,090	4,590	5,120	5,630
	1301~1400	980	1,500	2,020	2,530	3,040	3,800	4,360	4,910	5,470	6,020
	1401~1500	1,020	1,580	2,130	2,680	3,240	4,040	4,640	5,230	5,820	6,420
	1501~1600	1,060	1,650	2,240	2,830	3,410	4,270	4,910	5,550	6,180	6,810
	1601~1700	1,090	1,720	2,350	2,970	3,600	4,510	5,190	5,860	6,510	7,140
	1701~1800	1,130	1,800	2,460	3,120	3,790	4,750	5,470	6,210	6,910	7,610
	1801~1900	1,170	1,870	2,570	3,270	3,960	5,000	5,750	6,510	7,280	8,010
	1901~2000	1,200	1,940	2,680	3,410	4,160	5,230	6,020	6,810	7,610	8,410

※切断料は含まれております。(1mm単位)

#### SFY-PE5T ペット (PET) 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=5	10~100	570	-	-	-	-	-	-	-	-	-
	101~200	620	710	-	-	-	-	-	-	-	-
	201~300	650	800	930	-	-	-	-	-	-	-
	301~400	710	900	1,070	1,310	-	-	-	-	-	-
	401~500	750	980	1,200	1,520	1,780	-	-	-	-	-
	501~600	820	1,130	1,410	1,720	2,020	2,470	-	-	-	-
	601~700	870	1,210	1,570	1,910	2,270	2,790	3,160	-	-	-
	701~800	920	1,310	1,720	2,120	2,520	3,120	3,540	3,980	-	-
	801~900	970	1,410	1,870	2,310	2,770	3,440	3,920	4,420	4,900	-
	901~1000	1,020	1,520	2,020	2,520	3,020	3,770	4,290	4,840	5,380	5,920
	1001~1100	1,120	1,710	2,300	2,900	3,490	4,360	5,000	5,640	6,290	6,920
	1101~1200	1,170	1,820	2,470	3,120	3,770	4,700	5,410	6,100	6,800	7,500
	1201~1300	1,230	1,920	2,630	3,330	4,030	5,050	5,810	6,560	7,320	8,080
	1301~1400	1,270	2,030	2,790	3,540	4,290	5,410	6,220	7,030	7,850	8,660
	1401~1500	1,340	2,150	2,950	3,770	4,570	5,760	6,630	7,500	8,380	9,240
	1501~1600	1,390	2,250	3,120	3,980	4,840	6,100	7,030	7,960	8,890	9,820
	1601~1700	1,430	2,360	3,280	4,200	5,110	6,450	7,440	8,430	9,420	10,410
	1701~1800	1,500	2,470	3,440	4,420	5,380	6,800	7,850	8,920	10,000	11,080
	1801~1900	1,540	2,570	3,600	4,620	5,660	7,150	8,250	9,320	10,420	11,520
	1901~2000	1,600	2,680	3,770	4,840	5,920	7,500	8,660	9,820	11,000	12,180

※切断料は含まれております。(1mm単位)

#### SFY-PE5N ペット (PET) ブラウンスモーク 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=5	10~100	530	-	-	-	-	-	-	-	-	-
	101~200	590	700	-	-	-	-	-	-	-	-
	201~300	640	810	960	-	-	-	-	-	-	-
	301~400	700	910	1,130	1,410	-	-	-	-	-	-
	401~500	750	1,020	1,280	1,640	1,940	-	-	-	-	-
	501~600	830	1,180	1,520	1,890	2,230	2,750	-	-	-	-
	601~700	900	1,290	1,710	2,110	2,520	3,130	3,570	-	-	-
	701~800	950	1,410	1,890	2,340	2,810	3,500	4,010	4,510	-	-
	801~900	1,010	1,520	2,050	2,580	3,100	3,890	4,450	5,020	5,580	-
	901~1000	1,070	1,640	2,230	2,810	3,390	4,260	4,890	5,530	6,150	6,780
	1001~1100	1,180	1,870	2,570	3,260	3,950	4,970	5,700	6,450	7,200	7,940
	1101~1200	1,240	2,000	2,750	3,500	4,260	5,360	6,180	7,000	7,810	8,630
	1201~1300	1,300	2,120	2,940	3,760	4,580	5,780	6,660	7,540	8,420	9,300
	1301~1400	1,370	2,250	3,130	4,010	4,890	6,180	7,130	8,080	9,020	9,980
	1401~1500	1,420	2,370	3,320	4,260	5,210	6,590	7,610	8,630	9,640	10,650
	1501~1600	1,490	2,500	3,500	4,510	5,530	7,000	8,080	9,170	10,260	11,330
	1601~1700	1,560	2,620	3,700	4,770	5,830	7,400	8,560	9,710	10,880	12,030
	1701~1800	1,620	2,750	3,890	5,020	6,150	7,810	9,020	10,200	11,400	12,600
	1801~1900	1,680	2,880	4,070	5,270	6,470	8,210	9,510	10,800	12,100	13,400
	1901~2000	1,740	3,010	4,260	5,530	6,780	8,630	9,980	11,330	12,680	14,030

※切断料は含まれております。(1mm単位)

ペット (PET) PET-G 価格表 (税抜単価 (¥))

SFY-PEG3 ペット(PET)PET-G 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=3	10~100	590	-	-	-	-	-	-	-	-	-
	101~200	610	680	-	-	-	-	-	-	-	-
	201~300	640	730	820	-	-	-	-	-	-	-
	301~400	680	790	910	1,060	-	-	-	-	-	-
	401~500	700	850	980	1,190	1,340	-	-	-	-	-
	501~600	740	940	1,140	1,310	1,510	1,800	-	-	-	-
	601~700	760	990	1,230	1,430	1,670	2,010	2,240	-	-	-
	701~800	810	1,060	1,310	1,570	1,820	2,200	2,490	2,770	-	-
	801~900	840	1,140	1,410	1,700	2,000	2,400	2,720	3,040	3,340	-
	901~1000	860	1,190	1,510	1,820	2,140	2,620	2,960	3,320	3,660	4,010
	1001~1100	940	1,310	1,690	2,070	2,460	3,000	3,410	3,820	4,230	4,640
	1101~1200	960	1,380	1,800	2,200	2,620	3,230	3,670	4,120	4,570	5,000
	1201~1300	990	1,450	1,900	2,350	2,800	3,450	3,920	4,400	4,900	5,380
	1301~1400	1,040	1,520	2,010	2,490	2,960	3,670	4,230	4,710	5,230	5,750
	1401~1500	1,070	1,590	2,110	2,620	3,150	3,900	4,460	5,000	5,560	6,120
	1501~1600	1,100	1,650	2,200	2,770	3,320	4,120	4,710	5,310	5,900	6,480
	1601~1700	1,150	1,730	2,310	2,900	3,490	4,340	4,970	5,610	6,240	6,880
	1701~1800	1,170	1,800	2,400	3,040	3,660	4,570	5,230	5,900	6,580	7,240
	1801~1900	1,200	1,860	2,510	3,170	3,820	4,790	5,490	6,240	6,980	7,740
	1901~2000	1,260	1,930	2,620	3,320	4,010	5,000	5,750	6,540	7,380	8,240

※切断料は含まれております。(1mm単位)

SFY-PEG5 ペット(PET)PET-G 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=5	10~100	610	-	-	-	-	-	-	-	-	-
	101~200	660	760	-	-	-	-	-	-	-	-
	201~300	700	850	990	-	-	-	-	-	-	-
	301~400	760	960	1,150	1,410	-	-	-	-	-	-
	401~500	810	1,050	1,290	1,630	1,910	-	-	-	-	-
	501~600	870	1,200	1,510	1,840	2,160	2,640	-	-	-	-
	601~700	940	1,300	1,680	2,050	2,440	2,990	3,390	-	-	-
	701~800	980	1,410	1,840	2,270	2,710	3,350	3,790	4,260	-	-
	801~900	1,040	1,510	2,010	2,480	2,960	3,690	4,210	4,730	5,250	-
	901~1000	1,090	1,630	2,160	2,710	3,240	4,040	4,600	5,200	5,780	6,350
	1001~1100	1,190	1,830	2,470	3,110	3,740	5,040	5,360	6,040	6,750	7,430
	1101~1200	1,260	1,950	2,640	3,350	4,040	5,420	5,800	6,540	7,300	8,050
	1201~1300	1,310	2,060	2,820	3,570	4,330	5,800	6,230	7,030	7,850	8,660
	1301~1400	1,360	2,170	2,990	3,790	4,600	6,180	6,670	7,550	8,420	9,290
	1401~1500	1,430	2,300	3,170	4,040	4,900	6,540	7,110	8,050	8,980	9,920
	1501~1600	1,490	2,410	3,350	4,260	5,200	6,540	7,550	8,540	9,540	10,530
	1601~1700	1,530	2,530	3,520	4,500	5,480	6,920	7,980	9,050	10,530	10,530
	1701~1800	1,610	2,640	3,690	4,730	5,780	7,300	8,420	10,530	10,530	10,530
	1801~1900	1,650	2,750	3,870	4,970	6,070	7,670	8,860	10,530	10,530	10,530
	1901~2000	1,720	2,880	4,040	5,200	6,350	8,050	9,290	10,530	10,530	10,530

※切断料は含まれております。(1mm単位)

ペット (PET) 制電 価格表 (税抜単価 (¥))

SFY-PF3T ペット (PET) 制電 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=3	10~100	660	-	-	-	-	-	-	-	-	-
	101~200	750	930	-	-	-	-	-	-	-	-
	201~300	840	1,130	1,390	-	-	-	-	-	-	-
	301~400	930	1,300	1,670	2,170	-	-	-	-	-	-
	401~500	1,040	1,490	1,950	2,570	3,060	-	-	-	-	-
	501~600	1,170	1,760	2,370	2,960	3,560	4,460	-	-	-	-
	601~700	1,270	1,970	2,670	3,360	4,060	5,110	5,870	-	-	-
	701~800	1,370	2,170	2,960	3,760	4,560	5,750	6,620	7,480	-	-
	801~900	1,470	2,370	3,260	4,160	5,060	6,400	7,370	8,340	9,310	-
	901~1000	1,570	2,570	3,560	4,560	5,550	7,060	8,130	9,210	10,290	11,370
	1001~1100	1,750	2,950	4,140	5,320	6,510	8,240	9,520	10,810	12,080	13,360
	1101~1200	1,860	3,160	4,460	5,750	7,060	8,950	10,330	11,740	13,130	14,520
	1201~1300	1,980	3,380	4,780	6,190	7,580	9,650	11,150	12,670	14,170	15,690
	1301~1400	2,080	3,590	5,110	6,620	8,130	10,330	11,970	13,600	15,220	16,850
	1401~1500	2,190	3,810	5,430	7,060	8,670	11,040	12,790	14,520	16,260	18,010
	1501~1600	2,300	4,030	5,750	7,480	9,210	11,740	13,600	15,460	17,320	19,170
	1601~1700	2,400	4,240	6,080	7,910	9,750	12,420	14,410	16,390	19,170	19,170
	1701~1800	2,510	4,460	6,400	8,340	10,290	13,130	15,220	19,170	19,170	19,170
	1801~1900	2,620	4,670	6,740	8,780	10,830	13,830	16,030	19,170	19,170	19,170
	1901~2000	2,730	4,900	7,060	9,210	11,370	14,520	16,850	19,170	19,170	19,170

※切断料は含まれております。(1mm単位)

SFY-PF5T ペット (PET) 制電 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T=5	10~100	520	-	-	-	-	-	-	-	-	-
	101~200	650	920	-	-	-	-	-	-	-	-
	201~300	790	1,180	1,580	-	-	-	-	-	-	-
	301~400	920	1,450	1,970	2,690	-	-	-	-	-	-
	401~500	1,050	1,710	2,370	3,260	3,990	-	-	-	-	-
	501~600	1,250	2,120	2,970	3,840	4,700	6,000	-	-	-	-
	601~700	1,390	2,400	3,400	4,420	5,420	6,930	8,020	-	-	-
	701~800	1,530	2,690	3,840	4,990	6,140	7,870	9,110	10,370	-	-
	801~900	1,690	2,970	4,270	5,570	6,860	8,800	10,200	11,610	13,020	-
	901~1000	1,830	3,260	4,700	6,140	7,580	9,740	11,290	12,850	14,410	15,980
	1001~1100	2,110	3,820	5,540	7,240	8,960	11,470	13,300	15,150	17,000	18,850
	1101~1200	2,260	4,130	6,000	7,870	9,740	12,470	14,480	16,490	18,510	20,520
	1201~1300	2,410	4,450	6,460	8,500	10,520	13,480	15,660	17,850	20,020	22,200
	1301~1400	2,580	4,760	6,930	9,110	11,290	14,480	16,830	19,180	21,530	23,890
	1401~1500	2,730	5,060	7,410	9,740	12,070	15,490	18,010	20,520	23,040	25,560
	1501~1600	2,890	5,370	7,870	10,370	12,850	16,490	19,180	21,870	24,550	27,230
	1601~1700	3,040	5,690	8,330	10,980	13,630	17,510	20,350	23,200	27,230	27,230
	1701~1800	3,190	6,000	8,800	11,610	14,410	18,510	21,530	27,230	27,230	27,230
	1801~1900	3,360	6,320	9,280	12,240	15,200	19,520	22,710	27,230	27,230	27,230
	1901~2000	3,500	6,630	9,740	12,850	15,980	20,520	23,890	27,230	27,230	27,230

※切断料は含まれております。(1mm単位)

## SP パネルボード

## 樹脂パネル ●価格改定

## アクリル (PMMA) 価格表 (税抜単価 (¥))

## SFY-PM3T アクリル (PMMA) 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)												
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000			
T 3	10~100	460	-	-	-	-	-	-	-	-	-	-	-	-
	101~200	490	540	-	-	-	-	-	-	-	-	-	-	-
	201~300	510	610	700	-	-	-	-	-	-	-	-	-	-
	301~400	540	660	790	950	-	-	-	-	-	-	-	-	-
	401~500	580	730	880	1,080	1,250	-	-	-	-	-	-	-	-
	501~600	620	820	1,020	1,210	1,410	1,700	-	-	-	-	-	-	-
	601~700	650	880	1,120	1,350	1,570	1,920	2,160	-	-	-	-	-	-
	701~800	690	950	1,210	1,480	1,730	2,130	2,410	2,700	-	-	-	-	-
	801~900	720	1,020	1,310	1,600	1,900	2,340	2,670	2,970	3,290	-	-	-	-
	901~1000	750	1,080	1,410	1,730	2,060	2,560	2,900	3,260	3,610	3,980	-	-	-
	1001~1100	820	1,200	1,590	1,980	2,370	2,940	3,370	3,780	4,210	4,610	-	-	-
	1101~1200	850	1,280	1,700	2,130	2,560	3,170	3,630	4,090	4,540	5,000	-	-	-
	1201~1300	880	1,360	1,810	2,270	2,730	3,400	3,900	4,390	4,890	5,380	-	-	-
	1301~1400	920	1,420	1,920	2,410	2,900	3,630	4,160	4,700	5,230	5,760	-	-	-
	1401~1500	960	1,490	2,030	2,560	3,080	3,850	4,430	5,000	5,570	6,140	-	-	-
	1501~1600	990	1,560	2,130	2,700	3,260	4,090	4,700	5,310	5,920	6,520	-	-	-
	1601~1700	1,030	1,630	2,230	2,830	3,440	4,320	4,970	5,610	6,250	6,920	-	-	-
	1701~1800	1,060	1,700	2,340	2,970	3,610	4,540	5,230	5,920	6,620	7,320	-	-	-
	1801~1900	1,100	1,780	2,450	3,120	3,790	4,780	5,490	6,250	7,020	7,820	-	-	-
1901~2000	1,140	1,840	2,560	3,260	3,980	5,000	5,760	6,520	7,320	8,120	-	-	-	

※切断料は含まれております。(1mm単位)

## SFY-PM3N アクリル (PMMA) ブラウンスモーク 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)												
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000			
T 3	10~100	540	-	-	-	-	-	-	-	-	-	-	-	-
	101~200	580	640	-	-	-	-	-	-	-	-	-	-	-
	201~300	610	710	810	-	-	-	-	-	-	-	-	-	-
	301~400	640	790	920	1,090	-	-	-	-	-	-	-	-	-
	401~500	690	850	1,020	1,250	1,430	-	-	-	-	-	-	-	-
	501~600	730	950	1,180	1,390	1,620	1,960	-	-	-	-	-	-	-
	601~700	770	1,030	1,280	1,540	1,810	2,190	2,480	-	-	-	-	-	-
	701~800	800	1,090	1,390	1,690	1,980	2,440	2,750	3,070	-	-	-	-	-
	801~900	840	1,180	1,510	1,840	2,170	2,680	3,030	3,400	3,770	-	-	-	-
	901~1000	880	1,250	1,620	1,980	2,360	2,920	3,330	3,710	4,120	4,530	-	-	-
	1001~1100	950	1,390	1,840	2,270	2,720	3,360	3,830	4,310	4,790	5,270	-	-	-
	1101~1200	980	1,480	1,960	2,440	2,920	3,620	4,140	4,660	5,190	5,690	-	-	-
	1201~1300	1,030	1,560	2,070	2,600	3,130	3,890	4,450	5,000	5,570	6,130	-	-	-
	1301~1400	1,070	1,630	2,190	2,750	3,330	4,140	4,750	5,350	5,960	6,560	-	-	-
	1401~1500	1,100	1,710	2,310	2,920	3,520	4,400	5,050	5,690	6,350	7,000	-	-	-
	1501~1600	1,150	1,790	2,440	3,070	3,710	4,660	5,350	6,040	6,740	7,420	-	-	-
	1601~1700	1,190	1,870	2,560	3,240	3,920	4,920	5,660	6,380	7,120	7,820	-	-	-
	1701~1800	1,240	1,960	2,680	3,400	4,120	5,190	5,960	6,720	7,420	8,120	-	-	-
	1801~1900	1,280	2,040	2,800	3,560	4,320	5,440	6,250	7,120	7,920	8,720	-	-	-
1901~2000	1,310	2,120	2,920	3,710	4,530	5,690	6,560	7,420	8,220	9,020	-	-	-	

※切断料は含まれております。(1mm単位)

## SFY-PM5T アクリル (PMMA) 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)												
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000			
T 5	10~100	530	-	-	-	-	-	-	-	-	-	-	-	-
	101~200	590	690	-	-	-	-	-	-	-	-	-	-	-
	201~300	630	790	950	-	-	-	-	-	-	-	-	-	-
	301~400	690	900	1,100	1,380	-	-	-	-	-	-	-	-	-
	401~500	740	1,010	1,260	1,610	1,900	-	-	-	-	-	-	-	-
	501~600	820	1,160	1,500	1,840	2,180	2,690	-	-	-	-	-	-	-
	601~700	870	1,270	1,670	2,070	2,460	3,060	3,490	-	-	-	-	-	-
	701~800	930	1,380	1,840	2,290	2,740	3,430	3,910	4,400	-	-	-	-	-
	801~900	990	1,500	2,020	2,520	3,030	3,790	4,350	4,900	5,450	-	-	-	-
	901~1000	1,050	1,610	2,180	2,740	3,320	4,160	4,780	5,380	6,000	6,630	-	-	-
	1001~1100	1,150	1,830	2,500	3,180	3,850	4,840	5,570	6,300	7,020	7,750	-	-	-
	1101~1200	1,210	1,950	2,690	3,430	4,160	5,240	6,030	6,820	7,630	8,410	-	-	-
	1201~1300	1,280	2,070	2,880	3,670	4,470	5,640	6,490	7,350	8,220	9,070	-	-	-
	1301~1400	1,340	2,190	3,060	3,910	4,780	6,030	6,960	7,880	8,800	9,740	-	-	-
	1401~1500	1,400	2,310	3,240	4,160	5,090	6,430	7,420	8,410	9,400	10,400	-	-	-
	1501~1600	1,460	2,440	3,430	4,400	5,380	6,820	7,880	8,940	9,990	11,050	-	-	-
	1601~1700	1,520	2,570	3,610	4,660	5,690	7,220	8,340	9,460	11,050	11,050	-	-	-
	1701~1800	1,590	2,690	3,790	4,900	6,000	7,630	8,800	11,050	11,050	11,050	-	-	-
	1801~1900	1,640	2,810	3,980	5,150	6,310	8,010	9,280	11,050	11,050	11,050	-	-	-
1901~2000	1,710	2,930	4,160	5,380	6,630	8,410	9,740	11,050	11,050	11,050	-	-	-	

※切断料は含まれております。(1mm単位)

## SFY-PM5N アクリル (PMMA) ブラウンスモーク 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)												
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000			
T 5	10~100	580	-	-	-	-	-	-	-	-	-	-	-	-
	101~200	640	750	-	-	-	-	-	-	-	-	-	-	-
	201~300	690	860	1,030	-	-	-	-	-	-	-	-	-	-
	301~400	750	980	1,200	1,520	-	-	-	-	-	-	-	-	-
	401~500	810	1,090	1,380	1,760	2,070	-	-	-	-	-	-	-	-
	501~600	900	1,270	1,640	2,020	2,390	2,940	-	-	-	-	-	-	-
	601~700	960	1,400	1,830	2,270	2,700	3,350	3,820	-	-	-	-	-	-
	701~800	1,020	1,520	2,020	2,510	3,010	3,760	4,310	4,830	-	-	-	-	-
	801~900	1,080	1,640	2,200	2,770	3,320	4,160	4,770	5,370	5,980	-	-	-	-
	901~1000	1,150	1,760	2,390	3,010	3,630	4,560	5,240	5,910	6,580	7,260	-	-	-
	1001~1100	1,270	2,010	2,740	3,490	4,230	5,320	6,110	6,910	7,720	8,510	-	-	-
	1101~1200	1,320	2,140	2,940	3,760	4,560	5,750	6,620	7,480	8,350	9,220	-	-	-
	1201~1300	1,400	2,280	3,150	4,030	4,910	6,190	7,120	8,080	9,010	9,960	-	-	-
	1301~1400	1,470	2,410	3,350	4,310	5,240	6,620	7,640	8,650	9,670	10,690	-	-	-
	1401~1500	1,520	2,530	3,550	4,560	5,570	7,060	8,140	9,220	10,320	11,410	-	-	-
	1501~1600	1,600	2,680	3,760	4,830	5,910	7,480	8,650	9,820	10,980	12,130	-	-	-
	1601~1700	1,670	2,810	3,950	5,110	6,250	7,920	9,160	10,390	11,630	12,830	-	-	-
	1701~1800	1,730	2,940	4,160	5,370	6,580	8,350	9,670	11,050	12,330	13,630	-	-	-
	1801~1900	1,800	3,080	4,360	5,650	6,920	8,790	10,180	11,630	13,030	14,430	-	-	-
1901~2000	1,870	3,220	4,560	5,910	7,260	9,220	10,690	12,130	13,630	15,030	-	-	-	

※切断料は含まれております。(1mm単位)

# アクリル (PMMA) 制電 価格表 (税抜単価 (¥))

## SFY-PN3T アクリル (PMMA) 制電 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    3	10~100	730	-	-	-	-	-	-	-	-	-
	101~200	870	1,180	-	-	-	-	-	-	-	-
	201~300	1,030	1,470	1,920	-	-	-	-	-	-	-
	301~400	1,180	1,780	2,370	3,180	-	-	-	-	-	-
	401~500	1,320	2,070	2,820	3,830	4,650	-	-	-	-	-
	501~600	1,560	2,530	3,510	4,480	5,460	6,920	-	-	-	-
	601~700	1,720	2,850	4,000	5,140	6,270	7,980	9,220	-	-	-
	701~800	1,870	3,180	4,480	5,790	7,100	9,050	10,450	11,860	-	-
	801~900	2,050	3,510	4,970	6,440	7,900	10,100	11,700	13,280	14,870	-
	901~1000	2,200	3,830	5,460	7,100	8,720	11,170	12,920	14,690	16,450	18,220
	1001~1100	2,520	4,460	6,400	8,340	10,280	13,120	15,210	17,300	19,390	21,470
	1101~1200	2,700	4,810	6,920	9,050	11,170	14,260	16,540	18,810	21,100	23,370
	1201~1300	2,860	5,160	7,450	9,750	12,050	15,390	17,860	20,330	22,810	25,270
	1301~1400	3,050	5,530	7,980	10,450	12,920	16,540	19,200	21,850	24,520	27,170
	1401~1500	3,230	5,870	8,520	11,170	13,810	17,680	20,530	23,700	26,230	29,080
	1501~1600	3,390	6,220	9,050	11,860	14,690	18,810	21,850	24,890	27,930	30,970
	1601~1700	3,580	6,580	9,570	12,580	15,580	19,950	23,180	26,420	30,970	30,970
	1701~1800	3,760	6,920	10,100	13,280	16,450	21,100	24,520	30,970	30,970	30,970
	1801~1900	3,920	7,280	10,630	13,970	17,330	22,240	25,840	30,970	30,970	30,970
	1901~2000	4,110	7,640	11,170	14,690	18,220	23,370	27,170	30,970	30,970	30,970

※切断料は含まれております。(1mm単位)

## SFY-PN5T アクリル (PMMA) 制電 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    5	10~100	760	-	-	-	-	-	-	-	-	-
	101~200	970	1,390	-	-	-	-	-	-	-	-
	201~300	1,180	1,820	2,460	-	-	-	-	-	-	-
	301~400	1,390	2,250	3,100	4,260	-	-	-	-	-	-
	401~500	1,610	2,680	3,740	5,190	6,350	-	-	-	-	-
	501~600	1,930	3,330	4,720	6,120	7,520	9,610	-	-	-	-
	601~700	2,170	3,790	5,420	7,040	8,670	11,110	12,890	-	-	-
	701~800	2,400	4,260	6,120	7,980	9,840	12,630	14,650	16,670	-	-
	801~900	2,630	4,720	6,810	8,900	11,000	14,140	16,420	18,670	20,950	-
	901~1000	2,860	5,190	7,520	9,840	12,160	15,650	18,180	20,700	23,200	25,730
	1001~1100	3,320	6,090	8,860	11,620	14,390	18,440	21,430	24,410	27,390	30,390
	1101~1200	3,560	6,580	9,610	12,630	15,650	20,070	23,320	26,580	29,840	33,090
	1201~1300	3,810	7,090	10,370	13,640	16,920	21,700	25,230	28,760	32,280	35,810
	1301~1400	4,060	7,590	11,110	14,650	18,180	23,320	27,130	30,930	34,720	38,530
	1401~1500	4,330	8,100	11,870	15,650	19,430	24,950	29,020	33,090	37,160	41,230
	1501~1600	4,580	8,610	12,630	16,670	20,700	26,580	30,930	35,270	39,600	43,940
	1601~1700	4,830	9,110	13,390	17,670	21,950	28,210	32,830	37,440	43,940	43,940
	1701~1800	5,080	9,610	14,140	18,670	23,200	29,840	34,720	43,940	43,940	43,940
	1801~1900	5,330	10,110	14,900	19,680	24,480	31,460	36,620	43,940	43,940	43,940
	1901~2000	5,580	10,620	15,650	20,700	25,730	33,090	38,530	43,940	43,940	43,940

※切断料は含まれております。(1mm単位)

# 塩ビ (PVC) 価格表 (税抜単価 (¥))

## SFY-PV3T 塩ビ (PVC) 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    3	10~100	610	-	-	-	-	-	-	-	-	-
	101~200	630	680	-	-	-	-	-	-	-	-
	201~300	650	730	800	-	-	-	-	-	-	-
	301~400	680	770	870	990	-	-	-	-	-	-
	401~500	700	820	940	1,100	1,250	-	-	-	-	-
	501~600	740	900	1,050	1,210	1,380	1,610	-	-	-	-
	601~700	760	950	1,140	1,320	1,510	1,800	2,000	-	-	-
	701~800	790	990	1,210	1,420	1,630	1,960	2,190	2,420	-	-
	801~900	820	1,050	1,300	1,530	1,780	2,130	2,400	2,660	2,920	-
	901~1000	840	1,100	1,380	1,630	1,910	2,310	2,600	2,890	3,170	3,470
	1001~1100	900	1,210	1,520	1,850	2,160	2,620	2,970	3,300	3,660	4,000
	1101~1200	920	1,270	1,610	1,960	2,310	2,820	3,180	3,560	3,940	4,310
	1201~1300	950	1,320	1,710	2,070	2,460	3,010	3,410	3,810	4,220	4,620
	1301~1400	980	1,390	1,800	2,190	2,600	3,180	3,620	4,060	4,500	4,920
	1401~1500	1,010	1,450	1,870	2,310	2,730	3,380	3,830	4,310	4,770	5,240
	1501~1600	1,040	1,500	1,960	2,420	2,890	3,560	4,060	4,560	5,050	5,550
	1601~1700	1,060	1,560	2,050	2,530	3,030	3,740	4,270	4,800	5,350	5,550
	1701~1800	1,090	1,610	2,130	2,660	3,170	3,940	4,500	5,050	5,550	5,550
	1801~1900	1,130	1,670	2,220	2,770	3,320	4,120	4,710	5,350	5,550	5,550
	1901~2000	1,160	1,730	2,310	2,890	3,470	4,310	4,920	5,550	5,550	5,550

※切断料は含まれております。(1mm単位)

## SFY-PV3N 塩ビ (PVC) ブラウンスモーク 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    3	10~100	620	-	-	-	-	-	-	-	-	-
	101~200	650	730	-	-	-	-	-	-	-	-
	201~300	700	800	900	-	-	-	-	-	-	-
	301~400	730	870	1,010	1,180	-	-	-	-	-	-
	401~500	760	930	1,100	1,340	1,520	-	-	-	-	-
	501~600	810	1,040	1,260	1,490	1,710	2,040	-	-	-	-
	601~700	860	1,120	1,380	1,630	1,900	2,300	2,580	-	-	-
	701~800	880	1,180	1,490	1,780	2,070	2,530	2,860	3,180	-	-
	801~900	920	1,260	1,600	1,930	2,270	2,790	3,150	3,500	3,870	-
	901~1000	950	1,340	1,710	2,070	2,460	3,020	3,440	3,820	4,230	4,650
	1001~1100	1,040	1,470	1,920	2,370	2,820	3,480	3,950	4,430	4,920	5,390
	1101~1200	1,070	1,560	2,040	2,530	3,020	3,730	4,260	4,780	5,300	5,820
	1201~1300	1,120	1,630	2,170	2,690	3,220	4,000	4,570	5,130	5,700	6,260
	1301~1400	1,170	1,730	2,300	2,860	3,440	4,260	4,870	5,480	6,100	6,690
	1401~1500	1,190	1,810	2,400	3,020	3,630	4,510	5,170	5,820	6,470	7,130
	1501~1600	1,240	1,890	2,530	3,180	3,820	4,780	5,480	6,160	6,880	7,560
	1601~1700	1,270	1,960	2,660	3,350	4,030	5,030	5,790	6,530	7,260	7,960
	1701~1800	1,320	2,040	2,790	3,500	4,230	5,300	6,100	7,560	7,560	7,560
	1801~1900	1,360	2,120	2,900	3,670	4,440	5,560	6,410	7,560	7,560	7,560
	1901~2000	1,400	2,200	3,020	3,820	4,650	5,820	6,690	7,560	7,560	7,560

※切断料は含まれております。(1mm単位)

# SP パネルボード

## 樹脂パネル ●価格改定

### 塩ビ (PVC) 価格表 (税抜単価 (¥))

#### SFY-PV5T 塩ビ (PVC) 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T 5	10~100	630	-	-	-	-	-	-	-	-	-
	101~200	680	760	-	-	-	-	-	-	-	-
	201~300	710	840	950	-	-	-	-	-	-	-
	301~400	760	920	1,080	1,300	-	-	-	-	-	-
	401~500	800	1,010	1,200	1,480	1,700	-	-	-	-	-
	501~600	860	1,130	1,390	1,650	1,920	2,330	-	-	-	-
	601~700	900	1,200	1,520	1,830	2,140	2,610	2,940	-	-	-
	701~800	940	1,300	1,650	2,020	2,370	2,900	3,280	3,670	-	-
	801~900	980	1,390	1,800	2,180	2,590	3,180	3,620	4,050	4,490	-
	901~1000	1,040	1,480	1,920	2,370	2,810	3,480	3,960	4,440	4,920	5,390
	1001~1100	1,120	1,640	2,170	2,700	3,240	4,010	4,580	5,140	5,720	6,290
	1101~1200	1,170	1,750	2,330	2,900	3,480	4,320	4,940	5,560	6,190	6,800
	1201~1300	1,210	1,840	2,460	3,100	3,720	4,620	5,310	5,980	6,650	7,320
	1301~1400	1,270	1,930	2,610	3,280	3,960	4,940	5,660	6,380	7,110	7,840
	1401~1500	1,310	2,040	2,770	3,480	4,210	5,250	6,030	6,820	7,580	8,350
	1501~1600	1,360	2,130	2,900	3,670	4,440	5,560	6,380	7,220	8,050	8,870
	1601~1700	1,410	2,240	3,050	3,870	4,680	5,870	6,760	7,630	8,470	9,300
	1701~1800	1,460	2,330	3,180	4,050	4,920	6,190	7,110	8,070	8,870	9,700
	1801~1900	1,510	2,410	3,340	4,250	5,150	6,490	7,480	8,470	9,270	10,100
	1901~2000	1,560	2,520	3,480	4,440	5,390	6,800	7,840	8,870	9,870	10,870

※切断料は含まれております。(1mm単位)

#### SFY-PV5N 塩ビ (PVC) ブラウンスモーク 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T 5	10~100	680	-	-	-	-	-	-	-	-	-
	101~200	740	860	-	-	-	-	-	-	-	-
	201~300	800	980	1,150	-	-	-	-	-	-	-
	301~400	860	1,090	1,340	1,650	-	-	-	-	-	-
	401~500	930	1,200	1,510	1,910	2,230	-	-	-	-	-
	501~600	1,010	1,390	1,790	2,170	2,560	3,140	-	-	-	-
	601~700	1,080	1,520	1,970	2,410	2,860	3,550	4,040	-	-	-
	701~800	1,140	1,650	2,170	2,690	3,190	3,960	4,530	5,090	-	-
	801~900	1,190	1,790	2,360	2,930	3,520	4,380	5,000	5,640	6,260	-
	901~1000	1,280	1,910	2,560	3,190	3,840	4,800	5,490	6,190	6,890	7,580
	1001~1100	1,390	2,160	2,910	3,690	4,450	5,580	6,400	7,220	8,050	8,870
	1101~1200	1,470	2,300	3,140	3,960	4,800	6,020	6,910	7,830	8,720	9,610
	1201~1300	1,520	2,420	3,340	4,250	5,150	6,470	7,450	8,420	9,400	10,360
	1301~1400	1,600	2,580	3,550	4,530	5,490	6,910	7,970	9,020	10,070	11,110
	1401~1500	1,670	2,710	3,760	4,800	5,830	7,360	8,500	9,610	10,740	11,860
	1501~1600	1,740	2,850	3,960	5,090	6,190	7,830	9,020	10,220	11,410	12,600
	1601~1700	1,810	3,000	4,170	5,350	6,540	8,270	9,540	10,820	12,100	13,400
	1701~1800	1,870	3,140	4,380	5,640	6,890	8,720	10,070	11,420	12,760	14,100
	1801~1900	1,950	3,260	4,590	5,920	7,230	9,160	10,600	12,000	13,400	14,800
	1901~2000	2,020	3,410	4,800	6,190	7,580	9,610	11,110	12,600	14,100	15,600

※切断料は含まれております。(1mm単位)

### 塩ビ (PVC) 制電 価格表 (税抜単価 (¥))

#### SFY-PW3T 塩ビ (PVC) 制電 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T 3	10~100	580	-	-	-	-	-	-	-	-	-
	101~200	640	780	-	-	-	-	-	-	-	-
	201~300	700	890	1,080	-	-	-	-	-	-	-
	301~400	780	1,030	1,270	1,620	-	-	-	-	-	-
	401~500	830	1,140	1,470	1,880	2,220	-	-	-	-	-
	501~600	930	1,340	1,750	2,150	2,550	3,180	-	-	-	-
	601~700	990	1,470	1,940	2,420	2,900	3,620	4,130	-	-	-
	701~800	1,070	1,620	2,150	2,690	3,240	4,050	4,640	5,240	-	-
	801~900	1,130	1,750	2,350	2,970	3,580	4,500	5,170	5,830	6,490	-
	901~1000	1,200	1,880	2,550	3,240	3,920	4,940	5,680	6,420	7,150	7,890
	1001~1100	1,330	2,140	2,950	3,770	4,580	5,770	6,630	7,500	8,380	9,250
	1101~1200	1,390	2,280	3,180	4,050	4,940	6,230	7,190	8,150	9,090	10,050
	1201~1300	1,480	2,430	3,390	4,350	5,320	6,720	7,750	8,780	9,800	10,850
	1301~1400	1,540	2,590	3,620	4,640	5,680	7,190	8,300	9,420	10,530	11,640
	1401~1500	1,630	2,740	3,830	4,940	6,050	7,670	8,850	10,050	11,240	12,430
	1501~1600	1,690	2,890	4,050	5,240	6,420	8,150	9,420	10,680	11,950	13,220
	1601~1700	1,770	3,030	4,270	5,530	6,780	8,620	9,970	11,330	12,600	13,900
	1701~1800	1,840	3,180	4,500	5,830	7,150	9,090	10,530	12,000	13,400	14,800
	1801~1900	1,920	3,320	4,730	6,130	7,520	9,580	11,080	12,600	14,100	15,600
	1901~2000	1,990	3,470	4,940	6,420	7,890	10,050	11,640	13,220	14,800	16,400

※切断料は含まれております。(1mm単位)

#### SFY-PW5T 塩ビ (PVC) 制電 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T 5	10~100	580	-	-	-	-	-	-	-	-	-
	101~200	650	820	-	-	-	-	-	-	-	-
	201~300	740	1,000	1,240	-	-	-	-	-	-	-
	301~400	820	1,170	1,490	1,950	-	-	-	-	-	-
	401~500	900	1,330	1,750	2,320	2,780	-	-	-	-	-
	501~600	1,040	1,590	2,140	2,680	3,230	4,050	-	-	-	-
	601~700	1,130	1,770	2,400	3,050	3,690	4,650	5,350	-	-	-
	701~800	1,220	1,950	2,680	3,420	4,150	5,240	6,040	6,830	-	-
	801~900	1,320	2,140	2,950	3,780	4,600	5,840	6,730	7,630	8,500	-
	901~1000	1,400	2,320	3,230	4,150	5,070	6,430	7,420	8,420	9,400	10,390
	1001~1100	1,580	2,670	3,750	4,840	5,940	7,530	8,700	9,880	11,050	12,220
	1101~1200	1,680	2,870	4,050	5,240	6,430	8,170	9,450	10,730	12,000	13,290
	1201~1300	1,780	3,070	4,350	5,640	6,940	8,820	10,200	11,590	12,980	14,350
	1301~1400	1,870	3,270	4,650	6,040	7,420	9,450	10,950	12,440	13,930	15,430
	1401~1500	1,980	3,450	4,950	6,430	7,920	10,090	11,690	13,290	14,890	16,490
	1501~1600	2,080	3,650	5,240	6,830	8,420	10,730	12,440	14,140	15,850	17,550
	1601~1700	2,170	3,850	5,540	7,230	8,900	11,380	13,180	15,000	16,820	18,610
	1701~1800	2,270	4,050	5,840	7,630	9,400	12,000	13,930	15,850	17,750	19,670
	1801~1900	2,380	4,250	6,140	8,020	9,900	12,650	14,680	16,650	18,550	20,730
	1901~2000	2,470	4,450	6,430	8,420	10,390	13,290	15,430	17,550	19,450	21,790

※切断料は含まれております。(1mm単位)



ポリカーボネート 価格表(税抜単価(¥))

SFY-PC3T ポリカーボネート 透明 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)										
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000	
T 3	10~100	500	-	-	-	-	-	-	-	-	-	-
	101~200	550	660	-	-	-	-	-	-	-	-	-
	201~300	610	760	920	-	-	-	-	-	-	-	-
	301~400	660	860	1,070	1,350	-	-	-	-	-	-	-
	401~500	720	970	1,230	1,580	1,850	-	-	-	-	-	-
	501~600	800	1,130	1,470	1,800	2,140	2,640	-	-	-	-	-
	601~700	850	1,240	1,630	2,020	2,420	3,010	3,440	-	-	-	-
	701~800	910	1,350	1,800	2,250	2,700	3,370	3,850	4,350	-	-	-
	801~900	960	1,470	1,970	2,470	2,970	3,730	4,280	4,830	5,370	-	-
	901~1000	1,020	1,580	2,140	2,700	3,260	4,100	4,700	5,320	5,920	6,540	-
	1001~1100	1,130	1,800	2,470	3,130	3,800	4,780	5,490	6,220	6,930	7,660	-
	1101~1200	1,180	1,920	2,640	3,370	4,100	5,160	5,960	6,740	7,530	8,310	-
	1201~1300	1,250	2,030	2,830	3,610	4,400	5,560	6,410	7,250	8,100	8,960	-
	1301~1400	1,300	2,160	3,010	3,850	4,700	5,960	6,870	7,780	8,690	9,620	-
	1401~1500	1,370	2,280	3,180	4,100	5,020	6,340	7,330	8,310	9,290	10,270	-
	1501~1600	1,430	2,400	3,370	4,350	5,320	6,740	7,780	8,830	9,880	10,920	-
	1601~1700	1,490	2,510	3,550	4,580	5,610	7,120	8,240	9,350	10,460	11,570	-
	1701~1800	1,540	2,640	3,730	4,830	5,920	7,530	8,690	9,920	11,150	12,380	-
	1801~1900	1,610	2,770	3,920	5,060	6,230	7,910	9,160	10,480	11,810	13,140	-
	1901~2000	1,670	2,890	4,100	5,320	6,540	8,310	9,620	10,920	12,230	13,540	-

※切断料は含まれております。(1mm単位)

SFY-PC3N ポリカーボネート ブラウンスモーク 3t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)										
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000	
T 3	10~100	620	-	-	-	-	-	-	-	-	-	-
	101~200	690	820	-	-	-	-	-	-	-	-	-
	201~300	750	940	1,140	-	-	-	-	-	-	-	-
	301~400	820	1,070	1,320	1,680	-	-	-	-	-	-	-
	401~500	870	1,190	1,510	1,950	2,300	-	-	-	-	-	-
	501~600	970	1,390	1,810	2,230	2,640	3,270	-	-	-	-	-
	601~700	1,050	1,530	2,020	2,510	3,000	3,700	4,250	-	-	-	-
	701~800	1,120	1,680	2,230	2,790	3,350	4,170	4,780	5,380	-	-	-
	801~900	1,180	1,810	2,440	3,060	3,690	4,640	5,310	5,990	6,670	-	-
	901~1000	1,260	1,950	2,640	3,350	4,040	5,090	5,830	6,590	7,340	8,100	-
	1001~1100	1,390	2,220	3,050	3,880	4,700	5,920	6,810	7,700	8,600	9,490	-
	1101~1200	1,470	2,370	3,270	4,170	5,090	6,410	7,370	8,350	9,330	10,300	-
	1201~1300	1,540	2,520	3,500	4,480	5,460	6,890	7,950	9,000	10,060	11,110	-
	1301~1400	1,610	2,670	3,720	4,780	5,830	7,370	8,520	9,650	10,780	11,930	-
	1401~1500	1,690	2,820	3,950	5,090	6,210	7,870	9,080	10,300	11,520	12,730	-
	1501~1600	1,760	2,970	4,170	5,380	6,590	8,350	9,650	10,950	12,250	13,530	-
	1601~1700	1,840	3,120	4,400	5,680	6,970	8,840	10,220	11,600	13,000	14,380	-
	1701~1800	1,920	3,270	4,640	5,990	7,340	9,330	10,780	12,230	13,680	15,130	-
	1801~1900	2,000	3,430	4,860	6,290	7,730	9,820	11,360	12,910	14,460	16,010	-
	1901~2000	2,070	3,580	5,090	6,590	8,100	10,300	11,930	13,530	15,130	16,730	-

※切断料は含まれております。(1mm単位)

SFY-PC5T ポリカーボネート 透明 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)										
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000	
T 5	10~100	550	-	-	-	-	-	-	-	-	-	-
	101~200	640	810	-	-	-	-	-	-	-	-	-
	201~300	730	990	1,250	-	-	-	-	-	-	-	-
	301~400	810	1,160	1,510	1,980	-	-	-	-	-	-	-
	401~500	900	1,350	1,780	2,370	2,840	-	-	-	-	-	-
	501~600	1,040	1,610	2,180	2,750	3,330	4,180	-	-	-	-	-
	601~700	1,140	1,800	2,470	3,130	3,800	4,810	5,530	-	-	-	-
	701~800	1,230	1,980	2,750	3,520	4,270	5,420	6,240	7,080	-	-	-
	801~900	1,320	2,180	3,040	3,900	4,760	6,040	6,980	7,900	8,830	-	-
	901~1000	1,410	2,370	3,330	4,270	5,230	6,660	7,690	8,730	9,750	10,800	-
	1001~1100	1,600	2,730	3,870	5,010	6,140	7,800	9,020	10,250	11,480	12,700	-
	1101~1200	1,700	2,940	4,180	5,420	6,660	8,460	9,810	11,140	12,470	13,810	-
	1201~1300	1,810	3,150	4,490	5,830	7,180	9,150	10,590	12,030	13,480	14,920	-
	1301~1400	1,910	3,360	4,810	6,240	7,690	9,810	11,370	12,920	14,480	16,030	-
	1401~1500	2,020	3,570	5,110	6,660	8,210	10,480	12,140	13,810	15,480	17,140	-
	1501~1600	2,120	3,770	5,420	7,080	8,730	11,140	12,920	14,700	16,480	18,250	-
	1601~1700	2,230	3,980	5,740	7,480	9,240	11,810	13,700	15,590	17,480	19,380	-
	1701~1800	2,330	4,180	6,040	7,900	9,750	12,470	14,480	16,480	18,480	20,480	-
	1801~1900	2,440	4,390	6,350	8,320	10,280	13,150	15,250	17,250	19,250	21,250	-
	1901~2000	2,530	4,600	6,660	8,730	10,800	13,810	16,030	18,030	20,030	22,030	-

※切断料は含まれております。(1mm単位)

SFY-PC5N ポリカーボネート ブラウンスモーク 5t 1×2 板

(¥)

板厚	A寸法 (mm)	B寸法 (mm)										
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000	
T 5	10~100	600	-	-	-	-	-	-	-	-	-	-
	101~200	710	930	-	-	-	-	-	-	-	-	-
	201~300	810	1,140	1,460	-	-	-	-	-	-	-	-
	301~400	930	1,360	1,790	2,370	-	-	-	-	-	-	-
	401~500	1,030	1,570	2,110	2,830	3,430	-	-	-	-	-	-
	501~600	1,190	1,900	2,600	3,300	4,010	5,060	-	-	-	-	-
	601~700	1,310	2,140	2,950	3,780	4,600	5,820	6,710	-	-	-	-
	701~800	1,430	2,370	3,300	4,240	5,170	6,590	7,620	8,620	-	-	-
	801~900	1,540	2,600	3,670	4,710	5,770	7,350	8,500	9,640	10,780	-	-
	901~1000	1,650	2,830	4,010	5,170	6,350	8,110	9,390	10,650	11,930	13,200	-
	1001~1100	1,890	3,290	4,680	6,090	7,470	9,530	11,030	12,530	14,040	15,550	-
	1101~1200	2,020	3,540	5,060	6,590	8,110	10,340	11,980	13,630	15,270	16,910	-
	1201~1300	2,150	3,800	5,450	7,100	8,760	11,170	12,940	14,720	16,500	18,290	-
	1301~1400	2,270	4,050	5,820	7,620	9,390	11,980	13,910	15,820	17,740	19,650	-
	1401~1500	2,390	4,310	6,210	8,110	10,030	12,810	14,850	16,910	18,970	21,030	-
	1501~1600	2,520	4,560	6,590	8,620	10,650	13,630	15,820	18,010	20,200	22,380	-
	1601~1700	2,660	4,810	6,970	9,130	11,290	14,450	16,780	19,100	21,380	23,580	-
	1701~1800	2,780	5,060	7,350	9,640	11,930	15,270	17,740	20,000	22,380	24,580	-
	1801~1900	2,910	5,320	7,740	10,150	12,560	16,090	18,690	21,380	23,580	25,580	-
	1901~2000	3,030	5,570	8,110	10,650	13,200	16,910	19,650	22,380	24,580	26,580	-

※切断料は含まれております。(1mm単位)

# SP パネルボード

## 樹脂パネル ●価格改定

### ポリカーボネート制電 価格表(税抜単価(¥))

#### SFY-PD3T ポリカーボネート制電 透明 3t 1×2板

(¥)

板厚	A寸法(mm)	B寸法(mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    3	10~100	420	-	-	-	-	-	-	-	-	-
	101~200	510	700	-	-	-	-	-	-	-	-
	201~300	600	880	1,160	-	-	-	-	-	-	-
	301~400	700	1,070	1,430	1,940	-	-	-	-	-	-
	401~500	800	1,250	1,710	2,350	2,850	-	-	-	-	-
	501~600	930	1,530	2,140	2,740	3,360	4,260	-	-	-	-
	601~700	1,030	1,740	2,450	3,150	3,850	4,920	5,690	-	-	-
	701~800	1,140	1,940	2,740	3,560	4,360	5,570	6,450	7,330	-	-
	801~900	1,240	2,140	3,050	3,960	4,870	6,230	7,220	8,200	9,190	-
	901~1000	1,340	2,350	3,360	4,360	5,370	6,890	7,990	9,080	10,170	11,270
	1001~1100	1,530	2,730	3,930	5,140	6,340	8,100	9,400	10,700	11,980	13,280
	1101~1200	1,630	2,950	4,260	5,570	6,890	8,800	10,220	11,630	13,050	14,460
	1201~1300	1,750	3,170	4,590	6,020	7,440	9,510	11,050	12,580	14,110	15,640
	1301~1400	1,860	3,390	4,920	6,450	7,990	10,220	11,870	13,520	15,160	16,820
	1401~1500	1,960	3,600	5,250	6,890	8,530	10,930	12,690	14,460	16,230	17,990
	1501~1600	2,080	3,830	5,570	7,330	9,080	11,630	13,520	15,400	17,290	19,170
	1601~1700	2,180	4,050	5,900	7,760	9,630	12,340	14,350	16,350	18,170	19,170
	1701~1800	2,290	4,260	6,230	8,200	10,170	13,050	15,160	17,200	19,170	19,170
	1801~1900	2,400	4,480	6,560	8,640	10,720	13,750	15,990	18,170	19,170	19,170
	1901~2000	2,510	4,700	6,890	9,080	11,270	14,460	16,820	19,170	19,170	19,170

※切断料は含まれております。(1mm単位)

#### SFY-PD5T ポリカーボネート制電 透明 5t 1×2板

(¥)

板厚	A寸法(mm)	B寸法(mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    5	10~100	520	-	-	-	-	-	-	-	-	-
	101~200	660	950	-	-	-	-	-	-	-	-
	201~300	810	1,240	1,680	-	-	-	-	-	-	-
	301~400	950	1,520	2,110	2,880	-	-	-	-	-	-
	401~500	1,090	1,820	2,530	3,500	4,290	-	-	-	-	-
	501~600	1,310	2,260	3,190	4,130	5,080	6,480	-	-	-	-
	601~700	1,480	2,570	3,670	4,760	5,860	7,510	8,690	-	-	-
	701~800	1,630	2,880	4,130	5,380	6,640	8,520	9,880	11,240	-	-
	801~900	1,790	3,190	4,600	6,010	7,430	9,540	11,070	12,590	14,130	-
	901~1000	1,940	3,500	5,080	6,640	8,210	10,560	12,260	13,950	15,660	17,350
	1001~1100	2,250	4,110	5,980	7,850	9,720	12,450	14,450	16,460	18,470	20,490
	1101~1200	2,410	4,450	6,480	8,520	10,560	13,530	15,720	17,920	20,110	22,300
	1201~1300	2,580	4,790	7,000	9,200	11,400	14,630	17,010	19,390	21,760	24,140
	1301~1400	2,750	5,130	7,510	9,880	12,260	15,720	18,290	20,850	23,400	25,960
	1401~1500	2,920	5,470	8,010	10,560	13,110	16,820	19,560	22,300	25,050	27,790
	1501~1600	3,100	5,810	8,520	11,240	13,950	17,920	20,850	23,780	26,690	29,620
	1601~1700	3,260	6,140	9,040	11,920	14,800	19,020	22,130	25,240	28,620	29,620
	1701~1800	3,440	6,480	9,540	12,590	15,660	20,110	23,400	26,620	29,620	29,620
	1801~1900	3,600	6,840	10,050	13,280	16,500	21,210	24,690	28,620	29,620	29,620
	1901~2000	3,770	7,170	10,560	13,950	17,350	22,300	25,960	29,620	29,620	29,620

※切断料は含まれております。(1mm単位)

### アルミ複合板(樹脂タイプ) 価格表(税抜単価(¥))

#### SFY-CA3S アルミ複合板(樹脂タイプ)シルバー3t 1×2板

(¥)

板厚	A寸法(mm)	B寸法(mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    3	10~100	350	-	-	-	-	-	-	-	-	-
	101~200	380	440	-	-	-	-	-	-	-	-
	201~300	400	470	540	-	-	-	-	-	-	-
	301~400	440	530	630	750	-	-	-	-	-	-
	401~500	450	570	690	860	990	-	-	-	-	-
	501~600	480	650	810	960	1,120	1,360	-	-	-	-
	601~700	520	700	880	1,070	1,250	1,530	1,730	-	-	-
	701~800	540	750	960	1,170	1,380	1,700	1,920	2,150	-	-
	801~900	570	810	1,050	1,280	1,520	1,860	2,130	2,380	2,640	-
	901~1000	590	860	1,120	1,380	1,650	2,040	2,320	2,610	2,900	3,170
	1001~1100	650	960	1,280	1,590	1,900	2,360	2,690	3,030	3,360	3,700
	1101~1200	680	1,010	1,360	1,700	2,040	2,540	2,910	3,270	3,640	4,000
	1201~1300	700	1,070	1,440	1,800	2,180	2,730	3,110	3,520	3,920	4,310
	1301~1400	740	1,130	1,530	1,920	2,320	2,910	3,340	3,760	4,190	4,610
	1401~1500	760	1,180	1,610	2,040	2,460	3,090	3,540	4,000	4,470	4,920
	1501~1600	780	1,240	1,700	2,150	2,610	3,270	3,760	4,250	4,740	5,220
	1601~1700	820	1,300	1,780	2,270	2,750	3,460	3,980	4,490	5,220	5,220
	1701~1800	840	1,360	1,860	2,380	2,900	3,640	4,190	5,220	5,220	5,220
	1801~1900	870	1,410	1,960	2,490	3,040	3,830	4,410	5,220	5,220	5,220
	1901~2000	900	1,470	2,040	2,610	3,170	4,000	4,610	5,220	5,220	5,220

※切断料は含まれております。(1mm単位)

#### SFY-CA3V アルミ複合板(樹脂タイプ)アイボリー3t 1×2板

(¥)

板厚	A寸法(mm)	B寸法(mm)									
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000
T    3	10~100	350	-	-	-	-	-	-	-	-	-
	101~200	390	440	-	-	-	-	-	-	-	-
	201~300	410	480	560	-	-	-	-	-	-	-
	301~400	440	530	630	760	-	-	-	-	-	-
	401~500	460	580	700	870	1,000	-	-	-	-	-
	501~600	500	650	820	960	1,130	1,370	-	-	-	-
	601~700	520	700	890	1,080	1,260	1,540	1,740	-	-	-
	701~800	540	760	960	1,180	1,400	1,710	1,950	2,180	-	-
	801~900	580	820	1,050	1,280	1,530	1,890	2,140	2,400	2,670	-
	901~1000	600	870	1,130	1,400	1,660	2,060	2,340	2,630	2,920	3,210
	1001~1100	650	960	1,290	1,600	1,910	2,370	2,720	3,050	3,400	3,740
	1101~1200	680	1,020	1,370	1,710	2,060	2,560	2,990	3,300	3,680	4,040
	1201~1300	700	1,080	1,460	1,830	2,200	2,750	3,150	3,560	3,950	4,350
	1301~1400	740	1,130	1,540	1,950	2,340	2,930	3,360	3,800	4,230	4,660
	1401~1500	760	1,190	1,620	2,060	2,490	3,110	3,580	4,040	4,500	4,970
	1501~1600	800	1,250	1,710	2,180	2,630	3,300	3,800	4,290	4,790	5,270
	1601~1700	820	1,310	1,800	2,280	2,780	3,480	4,010	4,540	5,270	5,270
	1701~1800	860	1,370	1,890	2,400	2,920	3,680	4,230	5,270	5,270	5,270
	1801~1900	880	1,430	1,970	2,510	3,060	3,860	4,440	5,270	5,270	5,270
	1901~2000	920	1,480	2,060	2,630	3,210	4,040	4,660	5,270	5,270	5,270

※切断料は含まれております。(1mm単位)

**SFY-CA3B アルミ複合板(樹脂タイプ)ブラック3t1×2板**

(¥)

板厚	A寸法(mm)	B寸法(mm)											
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000		
T  3	10~100	350	-	-	-	-	-	-	-	-	-	-	-
	101~200	380	440	-	-	-	-	-	-	-	-	-	-
	201~300	400	470	540	-	-	-	-	-	-	-	-	-
	301~400	440	530	630	750	-	-	-	-	-	-	-	-
	401~500	450	570	690	860	990	-	-	-	-	-	-	-
	501~600	480	650	810	960	1,120	1,360	-	-	-	-	-	-
	601~700	520	700	880	1,070	1,250	1,530	1,730	-	-	-	-	-
	701~800	540	750	960	1,170	1,380	1,700	1,920	2,150	-	-	-	-
	801~900	570	810	1,050	1,280	1,520	1,860	2,130	2,380	2,640	-	-	-
	901~1000	590	860	1,120	1,380	1,650	2,040	2,320	2,610	2,900	3,170	-	-
	1001~1100	650	960	1,280	1,590	1,900	2,360	2,690	3,030	3,360	3,700	-	-
	1101~1200	680	1,010	1,360	1,700	2,040	2,540	2,910	3,270	3,640	4,000	-	-
	1201~1300	700	1,070	1,440	1,800	2,180	2,730	3,110	3,520	3,920	4,310	-	-
	1301~1400	740	1,130	1,530	1,920	2,320	2,910	3,340	3,760	4,190	4,610	-	-
	1401~1500	760	1,180	1,610	2,040	2,460	3,090	3,540	4,000	4,470	4,920	-	-
	1501~1600	780	1,240	1,700	2,150	2,610	3,270	3,760	4,250	4,740	5,220	-	-
	1601~1700	820	1,300	1,780	2,270	2,750	3,460	3,980	4,490	5,020	5,520	-	-
	1701~1800	840	1,360	1,860	2,380	2,900	3,640	4,190	4,720	5,220	5,720	-	-
	1801~1900	870	1,410	1,960	2,490	3,040	3,830	4,410	5,020	5,620	6,220	-	-
1901~2000	900	1,470	2,040	2,610	3,170	4,000	4,610	5,220	5,820	6,420	-	-	

※切断料は含まれております。(1mm単位)

**アルミ複合板(不燃タイプ) 価格表(税抜単価(¥))**

**SFY-CC4H アルミ複合板(不燃タイプ) シャンパンシルバー 4t 4×8 板**

(¥)

板厚	A寸法(mm)	B寸法(mm)												
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~1000	1001~1100	1101~1200	
T  4	10~100	920	-	-	-	-	-	-	-	-	-	-	-	-
	101~200	1,070	1,380	-	-	-	-	-	-	-	-	-	-	-
	201~300	1,240	1,710	2,190	-	-	-	-	-	-	-	-	-	-
	301~400	1,380	2,020	2,660	3,520	-	-	-	-	-	-	-	-	-
	401~500	1,550	2,330	3,140	4,220	5,070	-	-	-	-	-	-	-	-
	501~600	1,800	2,840	3,880	4,910	5,940	7,500	-	-	-	-	-	-	-
	601~700	1,960	3,180	4,400	5,600	6,810	8,610	9,930	-	-	-	-	-	-
	701~800	2,140	3,520	4,910	6,290	7,660	9,740	11,240	12,750	-	-	-	-	-
	801~900	2,320	3,880	5,430	6,990	8,540	10,860	12,540	14,240	15,930	-	-	-	-
	901~1000	2,490	4,220	5,940	7,660	9,400	11,990	13,850	15,740	17,600	19,480	-	-	-
	1001~1100	2,820	4,880	6,940	8,990	11,060	14,060	16,280	18,500	20,700	22,920	22,920	22,920	22,920
	1101~1200	3,000	5,250	7,500	9,740	11,990	15,270	17,690	20,120	22,530	24,940	24,940	24,940	24,940
	1201~1300	3,200	5,620	8,070	10,490	12,920	16,470	19,100	21,710	24,340	26,960	26,960	26,960	26,960
	1301~1400	3,380	5,990	8,610	11,240	13,850	17,690	20,510	23,330	26,150	28,980	28,980	28,980	28,980
	1401~1500	3,570	6,380	9,170	11,990	14,800	18,900	21,920	24,940	27,980	31,000	31,000	31,000	31,000
	1501~1600	3,760	6,750	9,740	12,750	15,740	20,120	23,330	26,560	29,790	33,000	33,000	33,000	33,000
	1601~1700	3,930	7,120	10,300	13,480	16,660	21,320	24,750	28,170	33,000	33,000	33,000	33,000	33,000
	1701~1800	4,120	7,500	10,860	14,240	17,600	22,530	26,150	33,000	33,000	33,000	33,000	33,000	33,000
	1801~1900	4,320	7,880	11,430	14,980	18,540	23,740	27,560	33,000	33,000	33,000	33,000	33,000	33,000
	1901~2000	4,490	8,240	11,990	15,740	19,480	24,940	28,980	33,000	33,000	33,000	33,000	33,000	33,000
	2001~2100	4,490	8,240	11,990	15,740	19,480	24,940	28,980	33,000	33,000	33,000	33,000	33,000	33,000
	2101~2200	4,490	8,240	11,990	15,740	19,480	24,940	28,980	33,000	33,000	33,000	33,000	33,000	33,000
2201~2300	4,490	8,240	11,990	15,740	19,480	24,940	28,980	33,000	33,000	33,000	33,000	33,000	33,000	
2301~2400	4,490	8,240	11,990	15,740	19,480	24,940	28,980	33,000	33,000	33,000	33,000	33,000	33,000	

※切断料は含まれております。(1mm単位)

**鋼板複合板 価格表(税抜単価(¥))**


**SFY-CD3W 鋼板複合板 ホワイト 3t 3×6 板**

(¥)

板厚	A寸法(mm)	B寸法(mm)											
		10~100	101~200	201~300	301~400	401~500	501~600	601~700	701~800	801~900	901~910		
T  3	10~100	630	-	-	-	-	-	-	-	-	-	-	-
	101~200	690	800	-	-	-	-	-	-	-	-	-	-
	201~300	740	900	1,060	-	-	-	-	-	-	-	-	-
	301~400	800	1,020	1,230	1,540	-	-	-	-	-	-	-	-
	401~500	860	1,120	1,400	1,770	2,070	-	-	-	-	-	-	-
	501~600	930	1,290	1,650	2,010	2,370	2,900	-	-	-	-	-	-
	601~700	1,000	1,410	1,830	2,250	2,670	3,290	3,750	-	-	-	-	-
	701~800	1,050	1,540	2,010	2,490	2,970	3,690	4,200	4,720	-	-	-	-
	801~900	1,110	1,650	2,190	2,730	3,260	4,070	4,650	5,240	5,810	-	-	-
	901~1000	1,180	1,770	2,370	2,970	3,570	4,460	5,120	5,750	6,400	6,470	-	-
	1001~1100	1,290	2,010	2,720	3,420	4,130	5,180	5,940	6,710	7,480	7,550	-	-
	1101~1200	1,360	2,130	2,900	3,690	4,460	5,600	6,440	7,280	8,100	8,190	-	-
	1201~1300	1,420	2,260	3,100	3,940	4,780	6,020	6,920	7,830	8,730	8,820	-	-
	1301~1400	1,480	2,390	3,290	4,200	5,120	6,440	7,410	8,380	9,360	9,460	-	-
	1401~1500	1,540	2,520	3,480	4,460	5,440	6,840	7,900	8,940	9,990	10,080	-	-
	1501~1600	1,610	2,640	3,690	4,720	5,750	7,280	8,380	9,510	10,610	10,720	-	-
	1601~1700	1,680	2,780	3,880	4,970	6,080	7,680	8,870	10,050	10,720	10,720	-	-
1701~1800	1,730	2,900	4,070	5,240	6,400	8,100	9,360	10,720	10,720	10,720	-	-	
1801~1820	1,760	2,930	4,110	5,280	6,470	8,190	9,460	10,720	10,720	10,720	-	-	

※切断料は含まれております。(1mm単位)

**パネル工賃価格表**



●各切抜き・切欠きの角: 指示なき場合は、R2となります。

	サイズ(mm)	税抜加工費(¥)		サイズ(mm)	税抜加工費(¥)	
キリ穴	~10.0	80	皿穴	~M8用	250	
	10.1~16.0	100		ザグリ	~M5用	250
	16.1~30.0	150		切欠き①	~200mm	250
	30.1~50.0	250		切欠き②	~200mm	500
	50.1~100.0	500		切抜き	~200mm	1,000
長穴	~L=30.0	200	タップ	~M5用	200	
	L=30.1~50.0	350	ヘリサート	~M5用	300	
面取り	~C3	0	R加工	~R5	0	
	C3.1~C5	10		R6~R30	150	
	C5.1~C10	50	ダルマ穴	~M8用	350	
	C10.1~	250				